

	Type	Hits	Search Text	DBs
1	BRS	8	6324692.pn. or 5742829.pn. or 5664186.pn. or 6560614.pn. or 6080207.pn. or 6529938.pn. or 5754785.pn. or 6105073.pn.	USPAT; US-PGPUB
2	BRS	4680	reentrant	USPAT; US-PGPUB
3	BRS	44	reentrant and 717/\$.ccls.	USPAT; US-PGPUB
4	BRS	0	reentrant with preemptive and 717/\$.ccls.	USPAT; US-PGPUB
5	BRS	1	reentrant with preemptive and 717/\$.ccls.	USPAT; US-PGPUB
6	BRS	106	relocatabl\$6 with module\$2	USPAT; US-PGPUB
7	BRS	6614	memory with interface with module\$2	USPAT; US-PGPUB
8	BRS	1	memory with interface with module\$2 with design adj time	USPAT; US-PGPUB
9	BRS	1	((design adj time) or "design-time") with dynamic with (instanti\$6 or initaliz\$8) with object\$3	USPAT; US-PGPUB
10	BRS	150	dynamic with (instanti\$6 or initaliz\$8) with object\$3	USPAT; US-PGPUB
11	BRS	20	dynamic with (instanti\$6 or initaliz\$8) with object\$3 and 717/\$.ccls.	USPAT; US-PGPUB
12	BRS	23	dynamic with (instanti\$6 or initaliz\$8) with object\$3 same static\$7	USPAT; US-PGPUB
13	BRS	55	dynamic with static with memor\$6 with allocat\$7	USPAT; US-PGPUB
14	BRS	10966	ROM with (module\$1 or object\$1)	USPAT; US-PGPUB
15	BRS	276	ROM with (module\$1 or object\$1) and 717/\$.ccls.	USPAT; US-PGPUB
16	BRS	11	ROM adj (module\$1 or object\$1) and 717/\$.ccls.	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
17	BRS	0	ROM adj mode\$3 with (module\$1 or object\$1) and 717/\$.ccls.	USPAT; US-PGPUB
18	BRS	7	ROM adj mode\$3 with (module\$1 or object\$1)	USPAT; US-PGPUB
19	BRS	5906	ROM with stor\$7 with (module\$1 or object\$1)	USPAT; US-PGPUB
20	BRS	19	ROM with stor\$7 with (module\$1 or object\$1) with flag\$2	USPAT; US-PGPUB
21	BRS	51	ROM with stor\$7 with permission\$3	USPAT; US-PGPUB
22	BRS	805	ROM with stor\$7 with flag\$2	USPAT; US-PGPUB
23	BRS	4	ROM with stor\$7 with flag\$2 and 717/\$.ccls.	USPAT; US-PGPUB
24	BRS	428	prohibit\$6 with access\$6 with device\$5	USPAT; US-PGPUB
25	BRS	38	prohibit\$6 with direct\$3 with access\$6 with device\$5	USPAT; US-PGPUB
26	BRS	0	archiv\$7 near2 (component\$1 or module\$1 or program\$1) with URN	USPAT; US-PGPUB
27	BRS	658	archiv\$7 near2 (component\$1 or module\$1 or program\$1)	USPAT; US-PGPUB
28	BRS	0	archiv\$7 near2 (component\$1 or module\$1 or program\$1) same URN	USPAT; US-PGPUB
29	BRS	0	archiv\$7 near2 (component\$1 or module\$1 or program\$1) same (archiv\$1 adj name)	USPAT; US-PGPUB
30	BRS	13	archiv\$7 near2 (component\$1 or module\$1 or program\$1) with name\$5	USPAT; US-PGPUB
31	BRS	0	archiv\$7 near2 (component\$1 or module\$1 or program\$1) and (uniform adj name\$4)	USPAT; US-PGPUB
32	BRS	350	archiv\$7 near (component\$1 or module\$1 or program\$1)	USPAT; US-PGPUB

	Type	Hits	Search Text	DBs
33	BRS	10	archiv\$7 near (component\$1 or module\$1 or program\$1) and 717/\$.ccls.	USPAT; US-PGPUB
34	BRS	50	uniform with naming with convention	USPAT; US-PGPUB
35	BRS	4	uniform with naming with convention and 717/\$.ccls.	USPAT; US-PGPUB
36	BRS	5	uniform with nam\$6 with convention and 717/\$.ccls.	USPAT; US-PGPUB
37	BRS	1	uniform with nam\$6 with convention with variable\$4	USPAT; US-PGPUB
38	BRS	247	uniform with nam\$6 with (variable\$1 or identifier\$1)	USPAT; US-PGPUB
39	BRS	6	uniform with nam\$6 with (variable\$1 or identifier\$1) and 717/\$.ccls.	USPAT; US-PGPUB
40	BRS	3	uniform with nam\$6 with (variable\$1 or identifier\$1) with external	USPAT; US-PGPUB
41	BRS	164	nam\$6 with identifier\$1 with external	USPAT; US-PGPUB
42	BRS	12	nam\$6 with external adj identifier\$1	USPAT; US-PGPUB
43	BRS	177	nam\$6 with identifier\$1 with universal	USPAT; US-PGPUB
44	BRS	7	universal adj nam\$6 with identifier\$1	USPAT; US-PGPUB
45	BRS	355	nam\$6 with identifier\$1 with (uniform or universal)	USPAT; US-PGPUB
46	BRS	13	nam\$6 with identifier\$1 with (uniform or universal) and 717/\$.ccls.	USPAT; US-PGPUB
47	BRS	32	nam\$6 with (file\$4 or librar\$4) with (uniform or universal) and 717/\$.ccls.	USPAT; US-PGPUB
48	BRS	0	initalization with finalization with function\$2	USPAT; US-PGPUB

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	6843	"_DEBUG"	USPA T; US-P GPUB	2003/10/ 15 13:54	
2	BRS	L2	3	"_DEBUG" with variable with definition	USPA T; US-P GPUB	2003/10/ 15 13:55	
3	BRS	L3	13	header with debug with symbol	USPA T; US-P GPUB	2003/10/ 15 14:12	
4	BRS	L4	0	header with "?DEBUG" with declar\$9	USPA T; US-P GPUB	2003/10/ 15 14:12	
5	BRS	L5	66	header with "?DEBUG"	USPA T; US-P GPUB	2003/10/ 15 14:12	
6	BRS	L6	5	header with "?DEBUG" with defin\$7	USPA T; US-P GPUB	2003/10/ 15 15:02	
7	BRS	L7	319	(trac\$7 not track\$6) with (interface) with (module\$1 or component\$1 or program)	USPA T; US-P GPUB	2003/10/ 15 15:06	
8	BRS	L8	27	(trac\$7 not track\$6) near (interface) with (module\$1 or component\$1 or program)	USPA T; US-P GPUB	2003/10/ 15 15:06	
9	BRS	L9	114	(trac\$7) near (interface) with (module\$1 or component\$1 or program)	USPA T; US-P GPUB	2003/10/ 15 15:06	

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
10	BRS	L10	16	(trac\$7 not track\$6) with (interface) with (module\$1 or component\$1 or program) and 717/\$.ccls.	USPA T; US-P GPUB	2003/10/ 15 15:07	
11	BRS	L11	15	((trac\$7 not track\$6) near function\$1) with (application\$1 or program\$1) and 717/\$.ccls.	USPA T; US-P GPUB	2003/10/ 15 15:08	